MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: ZIP UP PLUS A

AMMONIATED STRIPPER

PRODUCT #: 8766A

PRODUCT TYPE: Alkaline Stripper

CHEMICAL FAMILY: Surfactant Blend

EYE CONTACT: Goggles or Face Shield.

SUPPLIER'S NAME:

Enviro-Brands™

SUPPLIER'S ADDRESS:

Woodside, NY 11377

EMERGENCY PHONE: 800-255-3924

CHEM-TEL

DATE ISSUED: 1/2011

DOT CLASSIFICATION: Corrosive

DOT SHIPPING NAME: Compound, Cleaning Liquid (contains Potassium Hydroxide) 8, NA 1760, PGII

HAZARD RATING:

HEALTH: 2 **FLAMMABILITY**: 0

REACTIVITY: 1 PERSONAL PROTECTION: G

SECTION 2 - INGREDIENTS INFORMATION					
CHEMICAL NAME	CAS NO.	% / WT .	THRESHOLD LIMIT VALUE		
*2-BUTOXY ETHANOL	111-76-2	TO 5	25ppmTWA		
*POTASSIUM HYDROXIDE	1310-58-3	TO 5	2mg/m3		
*AMMONIUM HYDROXIDE	1336-21-6	TO 3	25ppm		
SODIUM METASILICATE	6834-92-0	TO 5	3ppmTWA		
WATER	7732-18-5	TO 80	NONE		

^{*}An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

An asterisk indicates the toxic chemicals subject to the reporting requirements of section 515 of the Emergency Figurity and Community Right-to-Milow Act of 1900 and 40 of 18372.				
SECTION 3 - PHYSICAL DATA		SECTION 4 - REACTIVITY DATA		
BOILING RANGE (F): 212-220° F	Specific Gravity: 1.03	STABILITY: Stable		
VAPOR PRESSURE: N/D	VAPOR DENSITY: Same as Water	HAZARDOUS POLYMERIZATION: Will Not Occur		
% VOLATILE : 86-88	pH : 13	INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizers		
SOLUBILITY IN WATER: Complete	EVAPORATION RATE: N/A	HAZARDOUS DECOMPOSITION PRODUCTS: Normal products		
PHYSICAL DESCRIPTION: Iridescent Green Liquid, Ammonia Odor		of combustion		
SECTION 5 - FIRE & EXPLOSION HAZARD DATA		SECTION 6 - STORAGE & HANDLING INFORMATION		

FLASH POINT: Exceeds 200° F	SPECIAL PRECAUTIONS: Keep out of reach of children.
FLAMMABILITY: Non-Flammable	Use only in well ventilated area.
EXTINGUISHING MEDIA: Water, CO ₂	For institutional and industrial use only.
	For use by trained personnel only.
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery	Store and keep in closed container, in a c
UNUSUAL AND EXPLOSION HAZARDS: None	Avoid freezing.

		-
SECTION 7 - HEALTH HAZARD DATA		SECTION 8 - FIRST AID PROCEDURE
EYES: May cause severe irritation.	EXPOSURE LIMITS: N/E	EYES: Flush with running water for 15 minutes.
SKIN: May cause severe irritation.	CARCINOGENICITY: NTP: Not listed	SKIN: Wash off with soap and water.
INHALATION: May cause irritation to upper tract.	IARC: Not listed	INHALATION: Remove to fresh air.
INGESTION: May cause irritation of mucous membranes.	OSHA: Not regulated	INGESTION: Do not induce vomiting.
MEDICAL CONDITION AGGRAVATED BY EXPOSURE: Persons with present skin disorder may be more susceptible to irritation.		Drink plenty of water. If unconscious or in convulsion, take to hospital or physician.

Persons with present skin disorder may be more susceptible to irritation.	if unconscious of in convuision, take to nospital of physician.
SECTION 9 - PRECAUTIONS FOR SAFE HANDLING	SECTION 10 - SPILL OR LEAK
RESPIRATORY PROTECTION: No special requirements.	SPILLAGE: Dike & contain spill, absorb the liquid.
PROTECTIVE GLOVES: Chemical resistant.	

DISPOSAL: Scoop or shovel solid material into a suitable container for recovery or disposal. Area may become slippery. VENTILATION: Good ventilation required.

Flush cleaned area with water.

Dispose according to local, state and federal requirements.

cool place.